Smart Intercom Catalogue

Akuvox












CONTENTS

The Company —	— 01	Smart Intercom Solutions —	21
Global Leading Innovator of Smart Intercom		Residential	
• Part of a \$1.6-Billion International Group		Commercial	
		Assisted Care & Hospital	
		Public Space	
Pioneer of Smart Intercom	— 02		
Why Smart Intercom			
Smart Intercom Technologies		Accessories ————————————————————————————————————	29
		Overview of Mounting Accessories	
Smart Intercom Products	— 07		
 Doorphone 		Selection Guide ———————	31
Indoor Monitor		Overview of Key Product Features	
Android IP Video Phone			
• Software			



Global Leading Innovator of Smart Intercom

Akuvox is a global leading provider of Smart Intercom products and solutions. We are committed to unleashing the power of technologies to improve people's lives with better communication, greater security and more convenience.

Part of Star-net

Akuvox is part of Star-net, a \$1.6-billion international group which is a leading ICT solution provider in China.









Pioneer of Smart Intercom

Encompassing Artificial Intelligence, Cloud, Android, SIP, Security and other advanced technologies, Akuvox continuously drives breakthrough changes in the industry, and creatively delivers an unrivaled portfolio of smart intercom products and solutions, allowing more people to take advantage of smart living easily.


















Smart Intercom Technologies-Al

Leading AI Technologies



Facial recognition door entry

Your face is your identity. The underlying anti-spoofing liveness detection algorithm makes it hard to be fooled by photos or videos.



Offline voice control

Use your voice to control indoor monitors. The voice data are processed directly on the device, which is faster and securer compared with an online method.



Fall detection

Exploring the synergy of image recognition technique and neural network machine learning, Akuvox empowers intercoms to increase in-home safety for older people.



Smart Intercom Technologies-Cloud

Smart Intercom as a Service (SlaaS)

Easy-to-use intercom app for end users

- Video calling and remote door unlocking
- Video preview and live view
- Issue time-limited QR code keys and guest PINs
- Door unlocking via Bluetooth
- Offline push notification



Productivity boost for property managers

- Manage all properties centrally and remotely from a web browser, for example creating new app accounts for residents
- Access to time-and-date stamped photos of all door entries
- Assign time-limited PINs to delivery people



Smart Intercom Technologies-Android

Home Automation Integration

The openness of Android enables Akuvox indoor monitors to integrate an application for automated home control. With only one screen, homeowners can enjoy both home automation services and intercom features.

The easy-to-navigate Android UI offers great user experience. It is also open to deep customization to meet diverse requirements.

Akuvox smart intercom has been proven to be fully interoperable with top home automation brands, including Control4, Zipato, RTI, iRidium, Core and LifeSmart. The list is ongoing.





Smart Intercom Technologies-SIP & Security

Better Communication

Akuvox intercom is based on SIP, a universal IP communication protocol, allowing to build a large communication system.

- Premium audio and video quality
- Communication between any SIP-supporting systems
- Work with mobile phones and landlines



Greater Security

Smart intercom is able to not only connect with various alarm sensors like smoke detectors for greater home security, but also communicate and interact intelligently with common security systems including video surveillance, VMS and building alarm systems.



Welcome to Smart Intercom Family




Akuvox R29C

World's First Facial Recognition Android Doorphone

- 7" capacitive touch screen supporting glove mode
- Aluminum panel
- Dual camera: one 120° wide-angle 3MP camera with IR and an auxiliary
 5MP camera
- Support multiple access control methods: facial recognition, NFC,
 13.56MHz and 125kHz access cards
- Anti-cold version (-40 °C to 55 °C) available
- Support plasterboard installation







For in-wall mounting















Akuvox R28A

SIP Video Doorphone with Numeric Keypad

- 4.3 " color TFT LCD
- Premium audio and video quality
- Aluminum panel
- 116° wide-angle 2MP camera with automatic lighting
- Support multiple access control methods: NFC, 13.56MHz and 125kHz access cards
- Anti-cold (-40 °C to 55 °C)



For on-wall mounting



For in-wall mounting









Akuvox R26B

SIP Video Doorphone with Access Control

- Premium audio and video quality
- Aluminum panel
- Five buttons with name plate
- 116° wide-angle 2MP camera with automatic lighting
- Support NFC, 13.56MHz and 125kHz access cards



For on-wall mounting













Akuvox R27A

SIP Video Doorphone with Numeric Keypad

- Premium audio and video quality
- Aluminum panel
- 116° wide-angle 2MP camera with automatic lighting
- Support multiple access control methods: NFC, 13.56MHz and 125kHz access cards
- Anti-cold version (-40 °C to 55 °C) available











Akuvox R26C

SIP Video Doorphone with Access Control

- Premium audio and video quality
- Aluminum panel
- 116° wide-angle 2MP camera with automatic lighting
- Support NFC, 13.56MHz access cards











Akuvox R26P

SIP Video Doorphone

- Premium audio and video quality
- Aluminum panel
- 116° wide-angle 2MP camera with automatic lighting



Akuvox R20A

Compact SIP Video Doorphone

- Premium audio and video quality
- 120° wide-angle 3MP camera with automatic lighting
- Support NFC, 13.56MHz and 125kHz access cards
- Ideal for environments with limited space



Onvie

















Akuvox R23C

SIP Doorphone with Access Control

- Premium audio quality
- Aluminum panel
- Support NFC, 13.56MHz access cards









Akuvox R23P

Simplest SIP Doorphone

- Premium audio quality
- Aluminum panel









Akuvox E21V

SIP Video Emergency Intercom

- Vandal-resistant with 316 grade stainless steel body
- Premium audio and video quality
- 116° wide-angle 2MP camera with automatic lighting





Akuvox E21A

SIP Emergency Intercom

- Vandal-resistant with 316 grade stainless steel body
- IK10 rating
- Premium audio quality

≯<1K10










World's First Android Doorphone with Starlight Camera

- 13 " capacitive touch screen
- 316 grade stainless steel panel
- Dual camera
- Dual-microphone for noise reduction
- Support multiple access control methods: facial recognition, NFC,
 13.56MHz and 125kHz access cards







For in-wall mounting














Compact SIP Video Doorphone with Numeric Keypad

- Premium audio and video quality
- 120° wide-angle 3MP camera with automatic lighting
- Support NFC, 13.56MHz and 125kHz access cards
- Ideal for environments with limited space







For in-wall mounting















Compact SIP Video Doorphone

- Premium audio and video quality
- 116° wide-angle 2MP camera with automatic lighting
- Support NFC, 13.56MHz and 125kHz access cards
- Ideal for environments with limited space



For on-wall mounting








Indoor Monitor

Akuvox IT83 / Akuvox C317

Android Indoor Monitor for Smart Home Solution

- 10" touch screen with 1280 x 800 resolution
- 8 channel inputs and 2 embedded relays
- Support 3rd-party apps
- Optional 1MP camera
- Built-in SIP PBX function
- Desktop mount available







Optional desktop stand







Indoor Monitor



Akuvox C312A

Touchscreen Audio Indoor Monitor

- Touchscreen numerical keypad
- 2.23" OLED display
- Built-in Wi-Fi (2.4GHz, IEEE802.11 b/g/n)
- Built-in Bluetooth V4.2(HS)
- Doorbell button support
- Magnetic bracket installation



For on-wall mounting



Indoor Monitor



Akuvox IT82



Android Indoor Monitor for Smart Home Solution

- 7" touch screen with 1024 x 600 resolution
- 5 programmable pushbuttons
- 8 channel inputs and 1 embedded relay
- Support 3rd-party apps
- Optional 1MP camera
- Optional RF 433/869 application





Disclaimer: Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.



Akuvox C315

Android Indoor Monitor for Smart Home Solution

- 7" touch screen with 1024 x 600 resolution
- 8 channel inputs and 1 embedded relay
- Support 3rd-party apps
- White color housing available
- Optional RF 433/869 application





Akuvox C313

Budget-friendly Indoor Monitor

- 7" touch screen with 800 x 480 resolution
- 8 channel inputs and 1 embedded relay
- White color housing available
- Optional RF 433/869 application





Android IP Video Phone



Akuvox R48G

Android IP Video Phone

- 7" touch screen with 1024 x 600 resolution
- Premium audio and video quality
- DTMF for remote door opening
- 2MP camera with privacy shutter
- Built-in Bluetooth, USB and Wi-Fi
- Support 3rd-party apps





Software



Akuvox SmartPlus

Cloud-based Intercom App

- Video calling and remote door unlocking
- Video preview and live view
- Issue time-limited QR code keys and guest PINs
- Door unlocking via Bluetooth
- Offline push notification



Akuvox Vfone

SIP Softphone App for Intercom

- Audio/video calling
- Remote door unlocking
- Offline push notification
- Compatible with mainstream SIP servers



Akuvox SDMC

On-premise Software for Community-wide Intercom System Management

- Batch deployment of devices automatically
- Real-time video monitoring
- Access control management
- Messaging and ad pushing



Akuvox FacePro

PC-based Software for Facial Data Management


- Automatic R29C device search and connection
- Facial image import or facial data capture
- Addition, modification and deletion of facial data for R29C
- Facial data syncing between R29C and the software
- One-click facial data sharing between different R29Cs



Akuvox Sight

PC-based SIP Softphone for Akuvox Intercom

- Multi-screen video monitoring
- Remote door unlocking
- Audio or video calling with intercom




Highlights of Akuvox Smart Intercom Solution

- Build a large community-wide communication system
- Work with mobile phones and landlines
- Integrate home automation, video surveillance and property management systems
- Control elevator to allow visitors to access the authorized floor only or send an empty elevator to an assigned floor

- App-based features, including video calling, remote door unlocking, alarm push notifications and messages from the property management
- Remote system maintenance via a web browser

Solution Overview






Highlights of Akuvox Smart Intercom Solution

- Flexible door entry options including facial recognition, NFC,
 RF cards and PIN codes
- Integrate access control, telephone, video surveillance and time & attendance systems
- Mobile app for business communication on the go

Solution Overview







Highlights of Akuvox Smart Intercom Solution

- Converge latest technologies, including SIP, Android and AI
- Easy-to-use system specially designed for older people
- 100% transmission of SOS signal to service centers with < 10 seconds SOS signal delay
- Telecare pendant for making emergency calls and unlocking doors remotely via RF
- Connect with various alarm sensors, such as door magnet and smoke detector, for greater home security
- Remote operation and maintenance of a large number of devices
- Easy to upgrade the system with new features

Solution Overview

Seek Help in an Emergency








Highlights of Akuvox Smart Intercom Solution

- Premium speech quality in any situation
- Vandal-resistant body with IK10 rating
- Integrate with video surveillance systems
- Direct communication line to alarm centers or security guards on patrol

Solution Overview



Accessories

Model	X916	R29C	R28A	R27A	R26B	R26C	R26P	R23C	R23P	R20A
Image	NEW !			1111 4 11111		••••••••••••••••••••••••••••••••••••••	::::•• :::: :		B 4	
On-Wall Mounting										
In-Wall Mounting			0:00	0:00		0:0	0:0	0:0	0.0	00 C
Optional Desktop Stand										

Accessories

R20K	E11R	E21V	E21A	IT83	C317	IT82	C315	C313	C312	R48G
NEW!	NEW!	•		- A						
				Q	Q					
0.0										
				D	D					

Selection Guide

X916	5005								
,(310	R29C	R28A	R27A	R26B	R26C	R26P	R23C	R23P	R20A
NEW!								G 2	
13"	7"	4.3"	128 x 32 dots	No	No	No	No	No	No
Yes	Yes	No	No	No	No	No	No	No	No
ainless steel	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum alloy
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Android	Android	Linux	Linux	Linux	Linux	Linux	Linux	Linux	Linux
Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes
No	No	No	No	No	No	No	No	No	No
Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	No	Yes
Yes	Yes	No	No	No	No	No	No	No	No
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65
Yes	Yes	No	No	No	No	No	No	No	No
	13" Yes nless steel Yes Yes ndroid Yes Yes No Yes Yes Yes IP65	13" 7" Yes Yes nless steel Aluminum Yes Yes Yes Yes Android Android Yes	13" 7" 4.3" Yes Yes No hless steel Aluminum Aluminum Yes Yes Yes Yes Yes Yes Yes Android Android Linux Yes No No No Yes	13" 7" 4.3" 128 x 32 dots Yes Yes No No Aluminum Aluminum Aluminum Yes Yes Yes Yes Yes Yes Yes Yes Yes Indroid Android Linux Yes Yes Yes Yes Yes Yes No No No No No No Yes Yes Yes Yes Yes Yes Yes Yes Yes IP65 IP65 IP65	13" 7" 4.3" 128 x 32 dots No Yes Yes No No No nless steel Aluminum Aluminum Aluminum Aluminum Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Indroid Linux Linux Linux Yes Yes Yes Yes Yes Yes Yes Yes No No No No Yes Yes Yes IP65 IP65 IP65	13" 7" 4.3" 128 x 32 dots No No Yes Yes No No No No No No No No No Yes Yes Yes Yes IP65 IP65 IP65 IP65 </td <td>13" 7" 4.3" 128 x 32 dots No No No Yes Yes No No No No No nless steel Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Indroid Android Linux Yes No Yes Yes Yes</td> <td>13" 7" 4.3" 128 x 32 dots No No No No Yes Yes No No No No No No Yes Yes No No No No No No No No No No No No No No No No No No No No No</td> <td>13" 7" 4.3" 128 x 32 dots No No</td>	13" 7" 4.3" 128 x 32 dots No No No Yes Yes No No No No No nless steel Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes Indroid Android Linux Yes No Yes Yes Yes	13" 7" 4.3" 128 x 32 dots No No No No Yes Yes No No No No No No Yes Yes No No No No No No No No No No No No No No No No No No No No No	13" 7" 4.3" 128 x 32 dots No No

Selection Guide

R20K	E11R	E21V	E21A	IT83	C317	IT82	C315	C313	C312	R48G
NEW I	NEW!	•	•							
No	No	No	No	10"	10"	7"	7"	7"	2.3"	7"
No	No	No	No	Yes						
Aluminum alloy	Plastics	Stainless steel	Stainless steel	Aluminum	Plastics	Aluminum	Plastics	Plastics	Plastics	Plastics
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Linux	Linux	Linux	Linux	Android	Android	Android	Android	Linux	Linux	Android
Yes	Yes	Yes	No	Optional	Optional	Optional	No	No	No	Yes
Yes	Yes	Yes	No	-	-	-	-	-	-	-
No	No	No	No	Optional	Optional	Optional	Optional	Optional	Optional	Yes
Yes	Yes	No	No	-	-	-	-	-	-	-
No	No	No	No	-	-	-	-	-	-	-
Yes	Yes	No	No	-	-	-	-	-	-	-
IP65	-	IP65	IP65	For indoor						
No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes

Open A Smart World



Akuvox









10/F, No.56 Guanri Road, Software Park II , Xiamen 361009, China Tel: +86-592-2133061 Ext: 7694/8162 Fax: +86-592-2133061 Email: sales@akuvox.com Web: www.akuvox.com

Akuvox and identifying product names and numbers herein are registered trademarks of AKUVOX (XIAMEN) NETWORKS CO., LTD. All non-Akuvox brands and product names are trademarks or registered trademarks of their respective companies. Product appearance, build status, and/or specifications are subject to change without notice. Copyright AKUVOX (XIAMEN) NETWORKS CO., LTD. All rights reserved.