

**FERMAX**

**Way Kit.**

Video Door Entry Systems



For those who like to do things differently...

Do it your **Way**



Press to turn the screen On / Off

Missed call Indicator

door opener

Auto start of the main camera / Communication with the door entry panel



Choose among 20 different melodies, customise the monitor's settings, record videos and capture images of your visits and all of this in a single Kit!

### lug&play

The monitor and the door entry panel are already programmed and ready for installation!

...for those who like to do things differently, Fermax presents *the new*

## wau

### Monitor

**Intercom**

Establish communication with another installed monitor inside the house. In the 2 apartments kit the option to call to another apartment is available as well.

**Playback**

After 3 seconds the monitor automatically records a video (in case there is a micro SD Card installed) or a picture (in case there isn't) of the visitors. While answering, you also have the option to manually take a snapshot of your visit. The recorded videos/pictures from the outdoor panel will be played on the screen.

Capacity: 118 pictures (without micro SD Card) or audio&video record up to 32 G (with micro SD Card)

**Settings**

Brightness, contrast, selection of melodies, date & time, scene mode (brightly, soft and user), ring volume for day time and night time, language selection (16 different), etc.

**Do not disturb**

Take your time to relax. Activate the Do not Disturb in 1 HOUR, 8 HOURS or ALWAYS.

**Call record**

All the calls from panel-to-monitor, monitor-to-monitor and between monitors will be recorded and can be reviewed afterwards.

Call record	01/08
06-23 15:22	Neighbour
06-18 20:54	Outdoor Panel
06-12 21:43	Neighbour
05-29 13:16	Inner call
06-18 21:43	Outdoor Panel

**Touch screen**

Digital TFT colour monitor with capacitive touch screen that facilitates an intuitive use. 3 shortcut buttons for a quick access without using the screen.



## *door entry panel*



The Way kit includes a video door entry panel made of zamak metal with high sensitivity colour CCD camera as standard. **Surface installation.**



*slim profile*



*1/W*




*2/W*



### *Hood*

*Protects the door entry panel from rain, snow, etc. Included in kit.*



**Kits for 1 & 2 residences.**

*The products shown are for information only.*

**FERMAX**



# Way Kits

For 1 & 2 residences  
Technology: 2 wires non-polarized



## REF. 1401 1/W video way kit

The kit includes:

- 1/W video door entry panel with hood (ref.1407).
- 7" TFT colour monitor with touch screen.
- Power supply (ref.1410).

## REF. 1402 2/W video way kit

The kit includes:

- 2/W video door entry panel with hood (ref.1408).
- 7" TFT colour monitor with touch screen (two units).
- Power supply (ref.1410).

### Kit extensions


The WAY kit can be extended with a 2<sup>nd</sup> monitor in the house without extra power supply.

Extensions for 1/w video Way kit: monitor (ref.1405).

Extensions for 2/w video Way kit:


- ref.1405 Monitor (for 1<sup>st</sup> house).
- ref.1406 Monitor (for 2<sup>nd</sup> house).

### Monitor Specifications



- Power supply for monitor: DC 24-28V.
- Power consumption: Standby 12mA; Working 350mA.
- Monitor screen: 7 Inch digital colour TFT. Capacitive touch screen.
- Video signal: 1 Vpp, 75Ω, CCIR standard.
- Wiring: 2 wires, no polarity.
- Dimensions: 225(W) x 131(H) x 18(D)mm.


### Panel Specifications



- Zamak.
- Large backlighted cardholder.
- Rainy hood for surface mounting.
- Colour CCD camera with high sensitivity.
- Auto-sensor led illumination.
- One relay lock control.
- Dimensions: 95(W) x 155(H) x 25(D)mm.
- Needs to be installed with hood.
- Power-supply included in the kit limited for a 12Vdc 250A door-lock.

Dimensions: (width)x(height)x(depth)mm

### Basic installation diagram



**FREUND ELEKTRONIK A/S**

Fuglebakken 119 •  
DK-5210 Odense NV.  
Tlf:+45661624  
freund@freund.dk  
www.freund.dk

Do it your **way**  
Video Door Entry Systems